

	Type	L #	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definition	Errors
1	IS&R	L1	2762	(422/50, 83, 88, 94, 95, 96, 97, 98). CCLS.	USPA T	2003/12/0 5 15:31			0
2	BRS	L2	114	1 and (sensor or detector) adj array	USPA T	2003/12/0 5 15:35			0
3	BRS	L3	45	2 and metal adj oxide	USPA T	2003/12/0 5 15:35			0
4	BRS	L4	382	1 and metal adj oxide	USPA T	2003/12/0 5 15:32			0
5	BRS	L5	13	2 and temperature adj (measure\$ or detect\$)	USPA T	2003/12/0 5 15:35			0
6	BRS	L6	6	3 and temperature adj (measure\$ or detect\$)	USPA T	2003/12/0 5 15:32			0
7	BRS	L7	82	2 and (sens\$ or detect\$) with (resistance or capacitance or impedance or voltage or current)	USPA T	2003/12/0 5 15:33			0
8	BRS	L8	39	3 and (sens\$ or detect\$) with (resistance or capacitance or impedance or voltage or current)	USPA T	2003/12/0 5 15:34			0
9	BRS	L9	320	4 and (sens\$ or detect\$) with (resistance or capacitance or impedance or voltage or current)	USPA T	2003/12/0 5 15:38			0
10	BRS	L10	70	2 and semiconductor\$	USPA T	2003/12/0 5 15:35			0
11	BRS	L11	39	3 and semiconductor\$	USPA T	2003/12/0 5 15:36			0
12	IS&R	L12	882	(436/43, 149). CCLS.	USPA T	2003/12/0 5 15:35			0
13	BRS	L13	43	12 and (sensor or detector) adj array	USPA T	2003/12/0 5 15:37			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
14	BRS	L14	50	12 and metal adj oxide	USPA T	2003/12/0 5 15:37			0
15	BRS	L15	10	13 and metal adj oxide	USPA T	2003/12/0 5 15:35			0
16	BRS	L16	6	13 and temperature adj (measure\$ or detect\$)	USPA T	2003/12/0 5 15:38			0
17	BRS	L17	14	14 and temperature adj (measure\$ or detect\$)	USPA T	2003/12/0 5 15:36			0
18	BRS	L18	2	15 and temperature adj (measure\$ or detect\$)	USPA T	2003/12/0 5 15:36			0
19	BRS	L19	9	15 and semiconductor\$	USPA T	2003/12/0 5 15:37			0
20	BRS	L20	33	13 and (sens\$ or detect\$ or measure\$) with (resistance or capacitance or impedance or voltage or current)	USPA T	2003/12/0 5 15:36			0
21	BRS	L21	45	14 and (sens\$ or detect\$ or measure\$) with (resistance or capacitance or impedance or voltage or current)	USPA T	2003/12/0 5 15:36			0
22	BRS	L22	21	13 and semiconductor\$	USPA T	2003/12/0 5 15:37			0
23	IS&R	L23	1601	(73/1.01,1.02,23.2,23.31,31.06).CCLS.	USPA T	2003/12/0 5 15:37			0
24	BRS	L24	71	23 and (sensor or detector) adj array	USPA T	2003/12/0 5 15:37			0
25	BRS	L25	37	24 and metal adj oxide	USPA T	2003/12/0 5 15:37			0
26	BRS	L26	8	25 and temperature adj (measure\$ or detect\$)	USPA T	2003/12/0 5 15:38			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
27	BRS	L27	13	24 and temperature adj (measure\$ or detect\$)	USPA T	2003/12/05 15:38			0
28	BRS	L28	55	24 and (sens\$ or detect\$) with (resistance or capacitance or impedance or voltage or current)	USPA T	2003/12/05 15:38			0
29	BRS	L29	32	25 and (sens\$ or detect\$) with (resistance or capacitance or impedance or voltage or current)	USPA T	2003/12/05 15:38			0